

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2589	client with id and object with id and network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 11:53
L2	1311	client with id same object with id and network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 11:53
L3	224	client with id same object with id same network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 11:53
L4	3	client with id same object with id same integ\$4 same network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 11:54
L5	26	client with id same object with id same network same (embed \$4 or shar\$3 or common or global)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 11:55
L6	26	client with id same object with id same network same (embed \$4 or shar\$3 or common or global) and (number or bit or integer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 12:21
L7	47	(computer or client) with id same object with id with (embed\$4 or shar\$3 or common or global or coupl\$4) same (number or bit or integer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 12:23

L8	27	(computer or client) with id same object with id with (embed\$4 or shar\$3 or common or global or coupl\$4) same (number or bit or integer) and (design or cad or cam)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 12:23
L9	20	(computer or client) with id same object with id with (embed\$4 or shar\$3 or common or global or coupl\$4) same (number or bit or integer) and (design or cad or cam) and (generat\$4 or creat\$43 or new) with object	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 12:27
L10	10	(computer or client) with id same object with id with (embed\$4 or shar\$3 or common or global or coupl\$4) same (number or bit or integer) and (design or cad or cam) and (generat\$4 or creat\$43 or new) with object and (computer or client) with (address or integer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 12:30
L11	1	Encapsulation with (computer or client) with id with object	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 13:22
L12	5	(Encapsulat\$4 or merg\$3 or combind\$3) with (computer or client) with id with object	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 13:23
L13	230	(address or bit) with (computer or client) with id with object	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 14:01

L14	49	(address or bit) with (computer or client) with id with object with (number or integer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 14:02
L15	22	(computer or client) with id with object with (number or integer) with assign\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 14:09
L16	2	"20050038814".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 14:16
L17	3	"7207008".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 14:16
L18	51	(computer or client) with (key or address or identifier) with object with (number or integer) with assign \$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 14:18
L19	30	(computer or client) with (key or address or identifier) with object with (number or integer) with assign \$6 and (dimensional or virtual or space or world)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 14:23
L20	20	(computer or client) with (key or address or identifier) with object with (number or integer) with assign \$6 and (dimensional or virtual or cad or cam)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 14:33

L21	48	(computer or client) with (key or address or identifier) with object with (number or integer) with assign \$6 and (drawing or avatar or dimensional or virtual or cad or cam)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 14:35
L22	212	(computer or client) with (key or address\$3 or identifier) with object with assign\$6 same (global\$3 or uniq \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 14:44
L23	0	(computer or client) with (key or address\$3 or identifier) with object with assign\$6 same (global\$3 or uniq \$3) and ("2\$dimension \$3")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 14:45
L24	212	(computer or client) with (key or address\$3 or identifier) with object with assign\$6 same (global\$3 or uniq \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 14:45
L25	44	(computer or client) with (key or address\$3 or identifier) with object with assign\$6 same (global\$3 or uniq \$3) same (internet or online or network)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 14:46
L26	44	(computer or client) with (key or address\$3 or identifier) with object with assign\$6 same (global\$3 or uniq \$3) same (internet or online or network) and (client or computer) with (id or identifier or address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 14:47
L27	609	integer with (client or computer) with (id or identifier or address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 15:33

L28	31	integer with (client or computer) with (id or identifier or address) with (uniq\$3 or global \$3 or network) same (file or object)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 15:33
L29	2224	(client or computer) with ("ip address") with (file or object)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 15:41
L30	88	(client or computer) with ("ip address") with (file or object) with uniqu\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 15:41
L31	17	(client or computer) with ("ip address") with (file or object) with uniqu\$3 with (sharing or merging or network)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 15:41

3/ 5/ 2009 3:42:12 PM